PRODUCT-NO.: 222192



SN 10 SL GB

SMALL WATER HEATERS 5 TO 15 L

The SN small water heater is designed to supply one draw-off point and is mounted over the sink. The appliances can be adjusted to anywhere between 35 °C and 85 °C, making water with a consistent temperature available at all times. The high limit safety cut-out provides a constant and safe maximum water temperature. As an option, this can be set to 38 °C, 45 °C, 55 °C or 65 °C. The highly effective thermal insulation used in the small water heaters minimises energy losses.



The main features

Small water heater, 10 litre capacity

For a single draw-off point

Extremely large amount of mixed water

Low standby loss power consumption

Economy setting 60 °C

Splashproof to IP 24

Power cable for permanent connection, approx. 1 m



Rated voltage 3

Rated output 3

Rated current 3

Fuse 3

Frequency

Rated capacity

Power supply

Standby energy consumption/24 h at 65 °C

Phases

Colour



240 V

2,2 kW

9,1 A

10 A

50/60 Hz

1/N/PE

5 l

1/N/PE

0,2 kWh

white



240 V

2,2 kW

9,1 A

10 A

50/60 Hz

1/N/PE

10 l

1/N/PE

0,3 kWh

white

Туре	SN 5 SL GB	SN 10 SL GB
Part no.	221125	222192
Connected load	2 kW	2 kW
Width	263 mm	295 mm
Depth	230 mm	275 mm
Height	420 mm	503 mm
Technical data		
Rated voltage 1	220 V	220 V
Rated output 1	1,8 kW	1,8 kW
Rated current 1	8,3 A	8,3 A
Fuse 1	10 A	10 A
Rated voltage 2	230 V	230 V
Rated output 2	2,0 kW	2,0 kW
Rated current 2	8,7 A	8,7 A
Fuse 2	10 A	10 A



IP-Rating	IP24 D	IP24 D
Energy efficiency class	А	А
Weight	3 kg	4,6 kg

oversink water heater pack that comes complete with inlet valve and outlet spout



Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.