

HTE 4

HOT AIR HAND DRYERS

PRODUCT-NO.: 073007

The HTE electronic is a hand dryer which is a real hit, not least because of its extraordinarily quiet operation. An intelligent IR proximity sensor switches the unit ON, when you hold your hands 6 to 12 cm below the air outlet, and OFF again when you remove your hands. The robust casing protects the delicate technical interior against damage. Its design also prevents objects, such as cigarette butts, from being deposited on the casing.



The main features

Hand dryers

Plastic alpine white casing

Hygienic and energy efficient through IR proximity electronics

Low costs

Maintenance free, reliable operation

Easy installation



| Type | HTE 4 | HTE 5 |
|--------------|--------|--------|
| Part no. | 073007 | 073008 |
| Rated output | 1800 W | 1800 W |
| Depth | 230 mm | 230 mm |
| Height | 250 mm | 266 mm |
| Width | 238 mm | 257 mm |

Technical data

| | | |
|------------------|-----------------------|-----------------------|
| Power supply | 1/N ~ 220-240 V | 1/N ~ 220-240 V |
| Frequency | 50/- Hz | 50/- Hz |
| Rated voltage | 230 V | 230 V |
| Rated current | 7,8 A | 7,8 A |
| Operating noise | 54 dB(A) | 54 dB(A) |
| Air velocity | 12 m/s | 12 m/s |
| Air flow rate | 146 m ³ /h | 146 m ³ /h |
| IP-Rating | IP23 | IP23 |
| Protection class | II | II |
| Casing material | Plastic | Diecast aluminium |
| Weight | 2,5 kg | 4 kg |
| Colour | white | white |

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.